EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	operati$2 adj mode$1 same (ROM "read-only") same (non-volatile nonvolatile) same programmable same comparator	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:43
S2	1	"operating mode" same (non-volatile nonvolatile) same programmable same comparator	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:47
S3	4	"operating mode" same programmable same comparator same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:48
S4	158	"operating mode" same comparator same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:49
S5	8	"operating mode" same comparator same predetermined same words	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:50
S6	4	"operating mode" same comparator same words same (matches identical)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:52
S7	1	"operating mode" same select$3 and comparator same programmable same words same (matches identical)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:53
S8	9	"operating mode" same select$3 and comparator same programmable same words	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:54
S9	10	"operating mode" same select$3 and programmable and (nonvolatile non-volatile) and comparator same words	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:56
S10	5	"operating mode" same select$3 and programmable same (nonvolatile non-volatile) and comparator same words	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 13:00
S11	35	operat$3 near3 mode$1 same select$3 and programmable same (nonvolatile non-volatile) and comparator same words	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 15:21
S12	30	operat$3 near3 mode$1 same select$3 and programmable same (nonvolatile non-volatile) and compar$4 near3 words	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 15:49

S13	16	operat$3 near3 mode$1 same select$3 and programmable same (nonvolatile non-volatile) and compar$4 near4 word$1 same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 16:37
S14	15	operat$3 near2 mode$1 same select$3 and programmable same (nonvolatile non-volatile) and compar$4 near4 word$1 same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:49
S15	0	each near3 (power$3 near3 on) same (rewrit$3 re-writ$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:51
S16	0	(power$3 near3 on) same (rewrit$3 re-writ$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:51
S17	0	(power$3 near4 on) same (rewrit$3 re-writ$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:51
S18	15	power$3 same (rewrit$3 re-writ$3) same deactivated	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:56
S19	0	each near3 power$3 same (rewrit$3 re-writ$3) near3 predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:57
S20	0	each near3 power$3 same (rewrit$3 re-writ$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:57
S21	0	"each time" near3 power$3 same (rewrit$3 re-writ$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:58
S22	43	(each every whenever) near3 power$3 same (rewrit$3 re-writ$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:05
S23	0	(each every whenever) near3 power$3 same (rewrit$3 re-writ$3) near4 predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 12:58
S24	1233	power$3 near5 (rewrit$3 re-writ$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:06
S25	637	power$3 near3 (rewrit$3 re-writ$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:06
S26	8	power$3 near3 rewrit$3 and ferromagnetic same memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:13

S27	1	power$3 near3 rewrit$3 and comparator same words and "byte-to-byte" and "bit-to-bit"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:15
S28	1	power$3 near3 rewrit$3 and compar$4 same words and "byte-to-byte" and "bit-to-bit"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:16
S29	1	power$3 near3 rewrit$3 and compar$4 same words and ("byte-to-byte" "byte to byte") and ("bit-to-bit" "bit to bit")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:16
S30	1	power$3 near3 rewrit$3 and ("byte-to-byte" "byte to byte") and ("bit-to-bit" "bit to bit")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:16
S31	9	power$3 near3 rewrit$3 and compar$4 same words same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 14:19
S32	12	power$3 near3 rewrit$3 and compar$4 same (bytes bits words) same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 17:06
S33	1	(each every) near2 power$3 near4 rewrit$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 17:07
S34	1	(each every) near2 power$3 near5 rewrit$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 17:08
S35	52	(each every) near2 power$3 near5 (rewrit$3 copi$2 writ$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:17
S36	3	(each every) near3 power$3 same (rewrit$3 copi$2 writ$3) and ferromagnetic and (processor microprocessor) and software	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:18
S37	43	(each every) near3 power$3 same (rewrit$3 copi$2 writ$3) and (processor microprocessor) same software	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:23
S38	165	(each every) near4 power$3 same (rewrit$3 copi$2 writ$3) and (processor microprocessor) same (software program$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:24
S39	1	(each every) near4 power$3 same (rewrit$3 copi$2 writ$3) and (processor microprocessor) same (software program$1) and (rewrit$3 re-writ$3).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:26

S40	0	(each every) near4 power$3 same (rewrit$3 copi$2 writ$3) and (processor microprocessor) same (software program$1) and (operating adj mode$1).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:27
S41	0	(each every) near4 power$3 same (rewrit$3 copi$2 writ$3) and (processor microprocessor) and (operating adj mode$1).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:27
S42	22	(each every) near4 power$3 same (rewrit$3 copi$2 writ$3) and (processor microprocessor) and (mode$1).ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:49
S43	9	comparator same compar$2 near3 words and bytes same bits and threshold	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:50
S44	125	comparator same compar$2 near3 words and threshold	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:50
S45	1	comparator same compar$2 near3 words and threshold and byte$1 same bit$1 and mode$1.ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:53
S46	3	comparator same compar$2 near3 words same threshold and byte$1 same bit$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:53
S47	125	comparator same compar$2 near3 words and threshold	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:54
S48	18	comparator same compar$2 near3 words and threshold and (operati$3 adj mode$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:54
S49	1	comparator and compar$2 near2 words same threshold and (operati$3 adj mode$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:55
S50	25	comparator same compar$2 near3 (lines words data) same threshold same predetermined and (operati$3 adj mode$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:56
S51	19	comparator and compar$2 near2 (lines words data) same threshold same predetermined and mode$1.ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:57
S52	35	comparator and compar$2 near3 (lines words data bits bytes) same threshold same predetermined and mode$1.ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 13:59

S53	291	comparator and compar$2 near3 (lines data bits bytes) same threshold same predetermined and mode$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:01
S54	5	comparator and compar$2 near3 (lines data bits bytes) same threshold same predetermined same mode$1 and (processor$1 microprocessor$1) and software	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:01
S55	15	comparator and compar$2 near3 (lines data bits bytes) same threshold same predetermined same mode$1 and (processor$1 microprocessor$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:02
S56	35	comparator and compar$2 near3 (lines data bits bytes) same threshold same predetermined same mode$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:42
S57	55	threshold same compared same 70% same 90%	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:03
S58	0	comparator and compar$2 near3 (lines data bits bytes) same threshold same predetermined same deactivat$3 same select$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:43
S59	0	comparator and compar$2 near3 (lines data bits bytes) same threshold same predetermined same deactivat$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:43
S60	0	comparator and compar$2 near2 (words data) same threshold same predetermined same deactivat$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:43
S61	2	comparator and compar$2 near2 (words data) same threshold same predetermined same selection	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:44
S63	7	(compar$2 near2 words) near3 threshold same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:47
S64	0	(compar$2 near2 words) near3 threshold same select$3 same mode$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:48
S65	0	(compar$2 near2 words) near3 threshold same mode$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:48
S66	9	(compar$2 near2 words) same threshold same mode$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:48

S67	100	(compar$2 near2 (data words)) near3 threshold same mode$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:52
S68	3	(compar$2 near2 (data words)) near3 threshold same deactivat$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:52
S69	28	(compar$2 near2 (data words)) near3 threshold same (deactivat$3 (turn$3 adj off))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:54
S71	19	(compar$2 near2 (data words)) same threshold same predetermined same (deactivat$3 cancel$4 (turn$3 adj off))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:55
S72	8	(compar$2 near2 (data words)) same threshold same predetermined same (deactivat$3 de-activat$3 cancel$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:56
S73	1105	(compar$2 near2 (data words)) same threshold same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:57
S74	22	(compar$2 near2 (data words)) same threshold same predetermined and lock$3 same mode$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 14:58
S75	86	(compar$2 near2 (data words)) same threshold same predetermined same mode$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:07
S76	1	comparator same (data words) same threshold same predetermined and "reserved modes"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:10
S77	1	comparator same (data words) same threshold same predetermined and reserved adj modes$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:16
S78	34	comparator same (data words) same threshold near2 (predetermined programmable) and writ$3 same intervals and mode$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:18
S79	1	comparator same (data words) same threshold near2 (predetermined programmable) and (writ$3 rewrit$3) near3 intervals and mode$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:19
S80	4	comparator same (data words) same threshold near2 (predetermined programmable) and (writ$3 rewrit$3) near3 intervals	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:19

S81	94	comparator same (data words) same threshold near2 (predetermined programmable) and mode$1.ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:20
S82	5	comparator same compar$2 near2 (data words) same threshold near2 (predetermined programmable) and mode$1.ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:20
S83	0	comparator same compar$2 near2 (data words) same threshold near2 (predetermined programmable) and "365"/$3.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:21
S84	24	comparator same (data words) same threshold near2 (predetermined programmable) and "365"/$3.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:23
S85	24	comparator same (data words) same threshold near3 (predetermined programmable) and "365"/$3.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:24
S86	2	comparator same (data words) same threshold same predetermined same programmable and "365"/$3.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:25
S87	46	comparator same (data words) same threshold same predetermined same programmable	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:27
S88	26	comparator same (data words) same threshold same (predetermined programmable) and (writ$3 rewrit$3) near3 (intervals cycles)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:29
S89	85	comparator same (data words) same threshold near3 programmable	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:30
S90	280	comparator same (data words) same threshold near3 (program$5 specif$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:56
S91	194	"operating mode" same "selection signal"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:57
S92	2	"operating mode" same "selection signal" same otherwise	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:57
S93	17	"operating mode" same "selection signal" same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 15:58

S94	31	"operating mode" same "selection signal" and "365"/$3.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:05
S95	2	"operating mode" same "selection signal" and "ferromagnetic memory"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:05
S96	2	"operating mode" same "selection signal" and ferromagnetic same memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:05
S97	2	"operating mode" same "selection signal" and ferromagnetic	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:06
S98	10	"operating mode" same "selection signal" same deactivat$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:08
S99	2	"operating mode" same modes same "selection signal" same deactivat$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:10
S100	2	operating adj mode$1 same "selection signal" same deactivat$3 and (reserved adj mode$1) and (user adj mode$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:11
S101	2	operating adj mode$1 same "selection signal" and (reserved adj mode$1) and (user adj mode$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:11
S102	2	operating adj mode$1 same "selection signal" and (reserved adj mode$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:12
S103	1	operating adj mode$1 same "selection signal" and "test modes" same "user modes"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 16:59
S104	89	power$3 same rewrit$3 and rewrit$3 near3 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:01
S105	4	power$3 near5 rewrit$3 and rewrit$3 near3 (intervals periodically) same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:01
S106	9	power$3 near5 (writ$3 rewrit$3) and rewrit$3 near3 (intervals periodically) same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:02
S107	12	power$3 near5 (writ$3 rewrit$3) and rewrit$3 near5 (intervals periodically) same predetermined	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:02
S108	53	power$3 near3 (writ$3 rewrit$3) and rewrit$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:06

S10 9	0	((every each) near3 power$3) near5 (writ$3 rewrit$3) and rewrit$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:04
S11 0	0	((every each) near3 power$3) same (writ$3 rewrit$3) and rewrit$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:04
S11 1	70	power$3 near5 (writ$3 rewrit$3) and rewrit$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:06
S11 2	70	(power$3 "turned on") near5 (writ$3 rewrit$3) and rewrit$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 18:19
S11 3	0	"turned on" near4 (writ$3 rewrit$3) and rewrit$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:08
S11 4	0	"turned on" near5 (writ$3 rewrit$3) and rewrit$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:08
S11 5	0	"switched on" near5 (writ$3 rewrit$3) and rewrit$3 near5 (intervals periodically)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 17:08
S11 7	368	enabl$3 adj rewrit$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 18:21
S11 8	30	.enabl$3 adj rewrit$3 and "365"/$3. ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/07 18:22
S11 9	7	enabl$3 adj rewrit$3 and "365"/$3. ccls. and ferromagnetic	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 10:19
S12 0	1	enabl$3 adj rewrit$3 and "365"/$3. ccls. and ferromagnetic and lock$3	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 09:36
S12 1	6	("bit to bit" "bit-to-bit") and ("byte to byte" "byte-to-byte")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 10:21
S12 2	211	("bit to bit" "bit-to-bit" "bit by bit" "bit-by-bit") and ("byte to byte" "byte-to-byte" "byte by byte" "byte-by-byte")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 10:21
S12 3	102	("bit to bit" "bit-to-bit" "bit by bit" "bit-by-bit") same ("byte to byte" "byte-to-byte" "byte by byte" "byte-by-byte")	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/10 10:21

| S12 4 | 14 | ("bit to bit" "bit-to-bit" "bit by bit" "bit-by-bit") same ("byte to byte" "byte-to-byte" "byte by byte" "byte-by-byte") same compar$3 | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/10 10:22 |